

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	DE-4344187-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:29
L2	0	EP-0701917-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:19
L3	2	EP-701917-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:19
L4	1	1996-152587.NRAN.	DERWENT	OR	ON	2005/12/01 11:20
L5	1487	H03K017/96.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:55
L6	5026	F02B077/08.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:34
L7	3	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:41
L8	1	2000-272491.NRAN.	DERWENT	OR	ON	2005/12/01 11:34
L9	2	"5159159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:38

L10	1	fr-2431223-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:39
L11	1	1980-D7413C.NRAN.	DERWENT	OR	ON	2005/12/01 11:40
L12	202	(handgrip with motorcycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:42
L13	0	12 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:41
L14	6	(handgrip with capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:06
L15	229	200/600.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:41
L16	0	15 and handgrip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:41
L17	4	15 and (hand near2 grip\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:41
L18	542	H03K017/955.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:55

L19	0	18 and (handgrip with capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:16
L20	0	18 and (hand near2 grip\$3 with capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:05
L21	0	18 and (handgrip and capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:06
L22	11	(handgrip same capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:15
L23	0	15 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:16
L24	80	15 and "361"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:18
L25	0	24 and (handgrip and capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:16
L26	0	24 and (handgrip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:16

L27	2	24 and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:21
L28	2	18 and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:21
L29	1	((microcontroller) and (charge adj transfer adj sensor) and (capacitive capacitance) and (hand adj grip\$4)).clm.	US-PGPUB	OR	ON	2005/12/01 13:28
L30	0	(hand and sens\$3 and electrode and (capacitive capacitance) and (grip\$4) and dielectric and (sheet adj foil) and tubular and discharge).clm.	US-PGPUB	OR	ON	2005/12/01 13:31
L31	0	(sens\$3 and electrode and (capacitive capacitance) and dielectric and (sheet adj foil) and tubular and discharge and hand adj (off On)).clm.	US-PGPUB	OR	ON	2005/12/01 13:59
L32	1	(magneto and sens\$3 and electrode and (capacitive capacitance) and discharge and operator and hand and engine). clm.	US-PGPUB	OR	ON	2005/12/01 14:01
S3	3	("3709217" "4145864" "6501281").PN.	USPAT	OR	ON	2005/07/28 11:16
S4	0	S3 and microcontroller	USPAT	OR	ON	2005/07/27 16:59
S5	1	S3 and controller	USPAT	OR	ON	2005/07/27 16:59
S6	31730	"3" and (metal\$2 near3 foil)	USPAT	OR	ON	2005/07/28 11:16
S7	3	("3709217" "4145864" "6501281").PN.	USPAT	OR	ON	2005/07/28 11:17
S8	0	S7 and (metal\$2 near3 foil)	USPAT	OR	ON	2005/07/28 11:17
S9	13	("3111800" "3991618" "4003190" "4145864" "4794273" "4814632" "4981011" "5120980" "5138824" "5644551" "5646461" "6170241").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:19
S10	1	S9 and foil	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:22

S11	83	324/515	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:24
S12	0	S11 and (metal\$3 with foil with tube)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:25
S13	59	(metal\$3 adj foil adj tube)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:28
S14	2	S13 same electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:27
S15	0	S13 with electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:27
S16	15109	(foil with electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:29
S17	308	S16 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:29
S18	63	S17 and 324/658-690.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:31
S19	0	S18 and (foil with (tube tubular))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:32
S20	1	S18 and (foil with (tube tubular cylindric\$2))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:33
S21	0	("6501281").URPN.	USPAT	OR	OFF	2005/07/28 12:24
S22	0	("6501281").URPN.	USPAT	OR	OFF	2005/07/28 12:24
S23	13	("3111800" "3991618" "4003190" "4145864" "4794273" "4814632" "4981011" "5120980" "5138824" "5644551" "5646461" "6170241").PN:	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 12:25
S24	663	((proximity adj sensor) near2 (capacitance capacit\$3))	US-PGPUB; USPAT	OR	ON	2005/07/28 12:28
S25	201	((touch adj sensor) near2 (capacitance capacit\$3))	US-PGPUB; USPAT	OR	ON	2005/07/28 12:31
S26	17	S24 and (charge adj transfer)	US-PGPUB; USPAT	OR	ON	2005/07/28 12:34
S27	297	324/658.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/28 12:42
S28	244	324/686.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/28 12:39

S29	123	324/76.66.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/28 12:40
S30	297	324/658.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/28 12:54
S31	0	S30 and (hand adj grip)	US-PGPUB; USPAT	OR	ON	2005/07/28 12:55
S32	0	S27 and (hand adj grip)	US-PGPUB; USPAT	OR	ON	2005/07/28 12:55
S33	0	S28 and (hand adj grip)	US-PGPUB; USPAT	OR	ON	2005/07/28 12:55
S34	65	((capacitance capacitive) adj sensor) and (hand adj grip)	US-PGPUB; USPAT	OR	ON	2005/07/28 12:57
S35	9	((capacitance capacitive) adj sensor) with (hand adj grip)	US-PGPUB; USPAT	OR	ON	2005/07/28 13:00
S36	1269	(capacitance capacitive) near3 (pressure adj sensor)	US-PGPUB; USPAT	OR	ON	2005/07/28 13:01
S37	1131	(capacitance capacitive) near2 (pressure adj sensor)	US-PGPUB; USPAT	OR	ON	2005/07/28 13:01
S38	0	deb.x\$1.	USPAT	OR	ON	2005/07/28 14:07
S39	312	deb.xp.	USPAT	OR	ON	2005/07/28 14:00
S40	255	deb.xa.	USPAT	OR	ON	2005/07/28 14:00
S41	8	("3774110" "4007418" "4349782" "4503389" "4520318" "5473244" "5914608" "6531880").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 14:04
S42	1	("6531880").URPN.	USPAT	OR	OFF	2005/07/28 14:06
S43	0	(hand adj grip\$3) and (capacitor near2 discharg\$3) and (binary adj digit) and (operator near2 hand). clm.	US-PGPUB	OR	OFF	2005/07/28 15:39